

## Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Hard to compact Too clayey	1.00 1.00 0.50
8B: Judson-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
11B: Colo-----	60	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
Ely-----	30	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09
27B: Terril-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
41B: Sparta-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
55: Nicollet-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
62C2: Storden-----	95	Not limited		Not limited		Not limited	
62D2: Storden-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63

Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
62E2: Storden-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
73C: Salida-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Gravel content	1.00 1.00 1.00
83B: Kenyon-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
83C2: Kenyon-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
83D: Kenyon-----	100	Very limited Depth to saturated zone Slope	1.00 0.63	Very limited Depth to saturated zone Slope	1.00 0.63	Somewhat limited Slope	0.63
83F: Kenyon-----	100	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope	1.00
84: Clyde-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone	1.00
90: Okoboji-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Hard to compact Too clayey	1.00 1.00 0.50

Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
95: Harps-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
96: Turlin-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
107: Webster-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
118: Garwin-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
119: Muscatine-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09
120B: Tama-----	100	Not limited		Not limited		Not limited	
133: Colo-----	95	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50

Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
135: Coland-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Seepage	1.00				
		Too clayey	0.50				
138B: Clarion-----	100	Not limited		Not limited		Not limited	
138C2: Clarion-----	100	Not limited		Not limited		Not limited	
138D2: Clarion-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
151: Marshan-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Seepage	1.00	Too Sandy	1.00
		Too Sandy	1.00			Seepage	1.00
152: Marshan-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Seepage	1.00	Too Sandy	1.00
		Too Sandy	1.00			Seepage	1.00
153: Shandep-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00				
174B: Bolan-----	95	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Seepage	1.00
		Too Sandy	1.00			Too Sandy	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
174C2: Bolan-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
175B: Dickinson-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
175C: Dickinson-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
177: Saude-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
177B: Saude-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
177C: Saude-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
178: Waukee-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
178B: Waukee-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
184: Klinger-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.09

Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
198B: Floyd-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.09
201B: Coland-----	50	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Seepage	1.00				
		Too clayey	0.50				
Terril-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
213B: Rockton-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00		
214B: Rockton-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00		
214C2: Rockton-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00		
216C2: Ripon-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00		
217B: Ripon-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00		

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
221: Palms-----	100	Very limited Depth to saturated zone Content of organic matter Seepage	1.00  1.00 1.00	Very limited Depth to saturated zone Seepage	1.00  1.00	Very limited Depth to saturated zone Content of organic matter Seepage	1.00  1.00 0.16
225: Lawler-----	95	Very limited Depth to saturated zone Seepage Too Sandy	1.00  1.00 1.00	Very limited Depth to saturated zone Seepage	1.00  1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00  1.00 0.09
226: Lawler-----	95	Very limited Depth to saturated zone Seepage Too Sandy	1.00  1.00 1.00	Very limited Depth to saturated zone Seepage	1.00  1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00  1.00 0.09
236B: Lester-----	100	Somewhat limited Too clayey	 0.50	Not limited		Somewhat limited Too clayey	 0.50
236C: Lester-----	100	Somewhat limited Too clayey	 0.50	Not limited		Somewhat limited Too clayey	 0.50
236D2: Lester-----	95	Somewhat limited Slope Too clayey	 0.63 0.50	Somewhat limited Slope	 0.63	Somewhat limited Slope Too clayey	 0.63 0.50
236F: Lester-----	100	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
284B: Flagler-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00

Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
284C: Flagler-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
329: Webster-----	50	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
Nicollet-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
335: Harcot-----	100	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 0.50
373C2: Tallula-----	95	Not limited		Not limited		Not limited	
373D2: Tallula-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
377: Dinsdale-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
377B: Dinsdale-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
377C: Dinsdale-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	



Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
377C2: Dinsdale-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
382: Maxfield-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
391B: Clyde-----	55	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00	Very limited Depth to saturated zone	1.00
Floyd-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.09
398: Tripoli-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
399: Readlyn-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.09
407B: Schley-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.86
426: Aredale-----	95	Not limited		Very limited Seepage	1.00	Somewhat limited Seepage	0.50
426B: Aredale-----	100	Not limited		Very limited Seepage	1.00	Somewhat limited Seepage	0.50
426C: Aredale-----	100	Not limited		Very limited Seepage	1.00	Somewhat limited Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
426C2: Aredale-----	100	Not limited		Very limited Seepage	1.00	Somewhat limited Seepage	0.50
428B: Ely-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09
444B: Jacwin-----	95	Very limited Depth to saturated zone Depth to bedrock Too clayey	1.00 1.00 0.50	Very limited Depth to saturated zone Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Too clayey Depth to saturated zone	1.00 0.50 0.09
444C2: Jacwin-----	95	Very limited Depth to saturated zone Depth to bedrock Too clayey	1.00 1.00 0.50	Very limited Depth to saturated zone Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Too clayey Depth to saturated zone	1.00 0.50 0.09
506: Wacousta-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
507: Canisteo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
512C: Marlean-----	100	Not limited		Not limited		Not limited	
512E: Marlean-----	100	Very limited Slope	0.96	Very limited Slope	0.96	Very limited Slope	0.96

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
512G: Marlean-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
551: Calamine-----	100	Very limited Depth to saturated zone Depth to bedrock Too clayey	1.00 1.00 1.00	Very limited Depth to saturated zone Depth to bedrock	1.00 0.42	Very limited Depth to saturated zone Too clayey Hard to compact Depth to bedrock	1.00 1.00 1.00 0.42
559: Talcot-----	100	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Too Sandy Seepage	1.00 1.00 1.00
595: Harpster-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
612C2: Mottland-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage Gravel content	0.50 0.01
612E2: Mottland-----	100	Very limited Seepage Slope	1.00 0.96	Very limited Seepage Slope	1.00 0.96	Very limited Slope Seepage Gravel content	0.96 0.50 0.01
613: Rossfield-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.50
613B: Rossfield-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.50
613C: Rossfield-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
613C2: Rossfield-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.50
613D2: Rossfield-----	100	Very limited Seepage Slope	1.00 0.63	Very limited Seepage Slope	1.00 0.63	Somewhat limited Slope Seepage	0.63 0.50
620C: Port Byron-----	100	Not limited		Not limited		Not limited	
620C2: Port Byron-----	100	Not limited		Not limited		Not limited	
620D2: Port Byron-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
620E2: Port Byron-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
621: Houghton-----	100	Very limited Depth to saturated zone Content of organic matter Seepage	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Content of organic matter Seepage	1.00 1.00 0.16
638C2: Clarion-----	55	Not limited		Not limited		Not limited	
Storden-----	35	Not limited		Not limited		Not limited	
638D2: Clarion-----	55	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
Storden-----	35	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63

Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
733: Calco-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Too clayey	0.50				
760: Ansgar-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
761: Franklin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
		Too clayey	0.50			Depth to saturated zone	0.09
771B: Waubeek-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
771C: Waubeek-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
782B: Donnan-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Too clayey	1.00			Hard to compact Depth to saturated zone	1.00 0.47
782C2: Donnan-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Too clayey	1.00			Hard to compact Depth to saturated zone	1.00 0.47

Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
828B: Zenor-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
828C: Zenor-----	95	Very limited Seepage Too Sandy Slope	1.00 1.00 0.16	Very limited Seepage Slope	1.00 0.16	Very limited Too Sandy Seepage Slope	1.00 1.00 0.16
933: Sawmill-----	100	Very limited Flooding  Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding  Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
956: Harps-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Okoboji-----	45	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Hard to compact Too clayey	1.00 1.00 0.50
1135: Coland-----	100	Very limited Flooding  Depth to saturated zone Seepage Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding  Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
1173: Hoopeston Variant---	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Not limited	

Sanitary Facilities - Part 2.

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5010: Gravel-----	50	Not rated		Not rated		Not rated	
Pits, Sand And Gravel-----	50	Not rated		Not rated		Not rated	
5030: Pits, Limestone Quarry-----	50	Not rated		Not rated		Not rated	
Pits, Limestone Quarry-----	50	Not rated		Not rated		Not rated	
5550: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	